
A London Icon for the cities of the world




















Its the only way to see the city

Your customers will enjoy a relaxed and comfortable journey in the TX4's spacious and secure passenger environment.

And you'll discover just how good it is to drive too.









The high driving position makes for excellent all round visibility and the vehicle controls are all positioned within easy reach. Plus, there's ample storage space for a busy driver and a class leading multi-functional seat for maximum comfort.

Driving is believing of course, but you'll be pleasantly surprised how satisfying and enjoyable it can be. Our customers prefer the comfort and convenience of the TX4 driving compartment to other taxi vehicles.











High visibility grab handles allow everyone to manoeuvre easily without fear of stumbling or falling over, while adjustable seat belts benefit younger and smaller passengers.



The world is open to everyone

The London Taxi is uniquely designed to benefit and cater for all. Integral ramps allows for easy wheelchair access and while our cab also has special features for the partially sighted and hard of hearing, the benefits of the low floor and high seating position are universally appreciated.

The elderly don't have to stoop on entry - they simply walk-in and sit down at a comfortable height, which is also easy to stand up from. Meanwhile, the less able can use the swivel seat to swing effortlessly in and out of the taxi.










Why drivers choose a London Taxi


You stand out in a crowd driving a London Taxi.











So, why not join the ranks of professional drivers who already benefit from all the London Taxi has to offer. Drivers who work less, but earn more, because people aspire to travel in their vehicle. Drivers who luxuriate in the comfort of their own compartment - in a vehicle they know will make them money.
















Limousine standards

Why do passengers choose the London Taxi over any other saloon taxi? Is it the comfort, the space, the ease of access or the privacy? Is it because they can sit opposite family and friends and chat face to face? Is it because they can really stretch their legs and even have room to work?

Or is it because they're sat up high and can properly enjoy the scenery? Whatever the reason every passenger is able to control their own environment, have total privacy and yet still talk to the driver through the intercom. For them it really is like being chauffeured in a personal limousine.

It's like having your own personal professional limo driver









The London Taxi's permanent 25 foot turning circle allows drivers to manoeuvre around town with ease. Heavy traffic and tricky parking are no longer a problem.




Getting about made easy - for everyone











In hot or cold weather, despite the driving conditions and road quality, the London Taxi performs. In the city or the country, on airport trips, during hotel drops, for tourist excursions, down cobbled streets to cruising on motorways, this taxi copes with them all and makes sure everyone inside has a pleasant journey.







Engineering Excellence

Whether you choose the 2.5 diesel VM Motori or the 2.4 Mitsubishi petrol engine, both are reliable, green and great to drive





It's a purpose-built engine for the purpose-built taxi!

At the heart of any great taxi there is a choice of great engines' the 2.5 diesel VM Motori or the 2.4 Mitsubishi petrol. Both are clean and quiet but with no compromise on economy, reliability and power.

The diesel engine delivers high torque at low speeds means you can pull away from a standing start quickly and effortlessly, while gear driven twin balance shafts within the engine reduce vibration to a minimum.

Common rail multi-stage fuel injection technology helps pack a punch and the electronic engine management system optimises performance like never before. Plus, automatic and manual transmission both deliver fuel efficient use of available power with the smoothest of gear changes.

The petrol engine is what you would expect, a very refined and quiet motor delivering smooth power whenever its needed. Multi-point injection and state-of-the-art management system make it superbly reliable too.



utilises bigger discs at the front and thicker drums at the rear for optimum all-round performance, plus cost effective servicing and maintenance.

Our most advanced anti-lock braking system yet Electronically reactive and ready for action at all times the system senses when a wheel is about to lock and releases the brake momentarily, so that you can maintain steering and directional stability even in the most demanding situations.

> Increased performance means better control – and in any weather condition or climate.





All-round, all weather performance

the state-of-the-art ABS Braking will perform in all condition







Award winning design

Don't just take our word for it – the TX4 design incorporates the following coveted awards:

Millennium Products Award

In recognition of its design and accessibility features

Coach Makers Award to Industry

Automotive and Air Industry award for innovative design

Sir Henry Royce Memorial Foundation Award

In recognition of contribution to extending the frontiers of achievement and in the pursuit of excellence in the field of transport

BDI Design Award 2000

In recognition of environmental and product design projects of quality within the West Midlands


Independent Living Design Award

Sponsored by the British Healthcare Trade Association and Phab, awarded for socially inclusive features





A cleaner world for everyone



The London Taxi is Euro IV compliant and adheres to strict European recyclability directives so that it's as green as possible. And because of its durable design it lasts longer than a normal car, which means less environmental impact.

It's made from recyclable materials where possible too and is ultra low on emissions, because The London Taxi Company has long been at the forefront of emission-reducing technology and is committed to an ongoing programme of improvement and advancement.



TX4

Options & Specification



Bonnet louvers fitted to aid air conditioning in hot climates

- Standard
- O Option at extra cost



TX4 Model

TXT Flodes	
Engines	
Manual transmission Petrol	
Manual transmission Diesel	
Automatic transmission Diesel	
Exterior	
Black door mirrors	
Chrome door handles	
Chrome number plate plinth with The London Taxi Company badge	
Chrome radiator grille and mesh with The London Taxi Company badge	
Exterior door handle light linked to meter operation	
Fully colour coded energy absorbing bumpers	
Front fog lights	
Halogen headlight (height adjustable) with parking light	
Heated and adjustable door mirrors	
High level third reversing brake light	
Indicators front, clear lens, clear bulb until lit	
Paint - Black (solid)	
Paint - Coloured (solid)	
Paint - Metallic	
Radio aerial	
Rear light clusters, clear lens	
Rear number plate illuminating lights	
Rear wash/wipe with single speed intermittent	
Side repeaters, clear lens	
Tinted glass	
Twin rear fog and reversing lights	
Interior	
Ashtrays front and rear with cigarette lighter in driver's compartment	
Boot light	
Carpeted passenger compartment	
Electric windows front and rear with auto power off function	
Facia warning lights	
Fire extinguisher	
Integral cup holder on centre division	
Speedometer with digital odometer and trip meter, fuel and temperature gauges	
Stowage net on centre division	
Wood style instrument surround	
Electrical	
Air conditioning (front and rear)	
Air conditioning (hot climates) bonnet louvers fitted to enhance ventillation in	
engine compartment	
Column operated headlight control	
Column switches for 3-speed intermittent windscreen wipers	
Door warning indicator	

TX4 Model	
Electrical cont	
Lights on warning alarm	
Low level driver's illumination	
One touch lowering of front windows	
PATS vehicle immobiliser with radio key	
Remote central locking of doors	
Single cd/tuner with mute and front door speakers, one speaker in passenger com	npartment
Wheelchair seat belt not secured warning indicator	
Passenger	
5 seat rear compartment with 3 point seat belts	-
Centre belt is adjustable to suit children down to 18 kg	
Patterned cloth seats	
Compartment switches for rear heater on/off and two speeds, interior	
lights and intercom on/off	
Forward facing rear seat incorporates armrest	
Head restraints	
Induction loop	
Integrated fold away ramp and step	
Intercom	
Security centre division	
Swivel seat with mechanism	
Wheelchair restraint system	
Yellow grab handles	
Yellow visibility strip	
Driver	
12V power socket	
Airbag	
Centre console with arm rest, cup holder and cubby box.	
Digital clock	
Door stowage pocket	
Heated rear window with timed cut out	
Height/rake adjustable seat with lumbar support, 'A' frame head restraint	
and lap and diagonal seat belt	
Interior and low level facia lamp	
Interior rear view mirror	
Patterned cloth seats	
Power assisted steering	
Mechanical	
Anti-lock braking system	
Taxi tyres	
Options	
Alloy wheels	0
Leather interior (driver and passenger)	0
Rear parking sensors	Ó
VIP lamp	0
•	

Engine Petrol - Mitsubishi 4G69S4N, four cylinder in-line, four stroke, SOHC 16 valve, CCVT, 2378cc. Engine weight 165 kg. Engine displacement (cm3) 2378. Bore/stroke 87mm x 100mm. Bore-to-bore distance 93mm. Block height 235mm. Connecting rod centre-to-centre distance 150mm. Compression ratio 95:1. Max power 112 kW at 550o rpm. Max torque 212 Nm at 4000 rpm. Closed circuit water cooling.

Engine Diesel - VM Motori 2499cc R425 DOHC four cylinder, 16 valve twin overhead camshaft, direct injection turbo and intercooled. Bore/stroke 92mm x 94mm, compression ratio 17.5:1. Max power 75 kW at 4000 rpm. Max torque 240 NM at 1800 rpm. Toothed belt drive to overhead camshafts and high pressure fuel supply pump. Electronically controlled common rail diesel fuel system, electronic engine management and cold start glow plugs. Passive anti-theft system (PATS). Electrically driven cooling fan.

Manual Gearbox and Clutch Petrol - Mitsubishi 5-speed all synchromesh floor shift. Hydraulic clutch operation. Ratios: 1st 3.59, 2nd 2.04, 3rd 1.39, 4th 1.00, 5th 0.81, Reverse 3.2

Manual Gearbox and Clutch Diesel - Eaton 5-speed (FSO 2405 A all synchromesh floor shift. Hydraulic clutch operation. Ratios: 1st 4.08, 2nd 2.29, 3rd 1.47, 4th 1.00, 5th 0.72, Reverse 3.79

Automatic Gearbox Diesel - 5 speed electronically controlled with floor mounted cable operated shift lever:Transmission cooler integral with radiator. Ratios: 1st 3.00, 2nd 1.67, 3rd 1.00, 4th 0.75, 5th 0.67, Reverse 2.21

Rear Axle - Semi floating with hypoid bevel gears ratio 4.1:1.

Suspension and Steering - Independent, double wishbone front suspension with coil springs and telescopic dampers. Coil rear springs with trailing arms and panhard rod. Power assisted steering. Maximum turning distance between walls 8.53m (28ft). 5JKx16 wheels with I75R16C Q speed rating (6PR) tyres. One piece wheel covers.

Brakes - Servo assisted front/rear split hydraulic system with electronically controlled Anti-lock Braking System (ABS). Ventilated front discs 278mm (10.9in.) dia. with four piston callipers. Self adjusting rear drum brakes 254x70mm (10x2.75in.). Cable operated handbrake to rear drums.

Body - All steel, four door body mounted on separate cruciform steel chassis. Bolt on front panels, front and rear wings. Electrocoat body protection, wax injected body and chassis. Central division between driver's and passenger's compartment with attack resistant acrylic screen.

Foam reinforced front and rear bumpers mounted on steel armatures. Central door locking (ignition and radio key). Automatic motion sensitive passenger compartment door locks. Tinted glass, laminated windscreen and heated rear screen. Electrically operated windows in front and rear doors. Electrically heated and adjustable door mirrors.

Service Interval - 12,000 miles (20,000km).

Max permitted gross vehicle weight 2520 Kg

Approximate kerb weight 1815-1975 Kg

(may vary according to equipment)

Note: please see the reverse of this sheet for the options and dimensions for TX4.

TX4 Fuel Consumption: 2378cc Petrol Engine

Transmission	5 Speed Manual			
Drive Cycle	mpg	litres/100km		
- Urban - Extra Urban - Combined	19.22 32.47 25.92	14.7 8.7 10.9		
CO ₂ Emissions (g/km)		256		
Regulated Emissions Standard	Eu	iro IV		
Noise Level dB(A) moving		74		

TX4 Fuel Consumption: 2499cc Diesel Engine

Transmission	5 Speed Manual		5 Speed	Automatic
Drive Cycle	mpg	litres/100km	mpg	litres/100km
- Urban - Extra Urban - Combined	28.0 41.5 35.2	10.1 6.8 8.0	25.5 38.2 32.0	11.1 7.4 8.8
CO ₂ Emissions (g/km)	211			233
Regulated Emissions Standard	Euro IV		Е	uro IV
Noise Level dB(A) moving	73.8			71.4






TX4 Dimensions

Principal Dimensions (mm)

Principal Dimensions (mm)							
A Length	4580	L Step depth	280				
B Width (over mirrors)	2036	M Step width	700				
C Height	1834	N Sill height	370				
D Wheelbase	2886	P Ramp extension	1350				
E Front overhang	764	Q Door width (max)	880				
F Rear overhang	930	Wheelchair door access:					
G Front track	1422	R Floor level width	700				
H Rear track	1482	S Waist level width	780				
J Ground clearance	134	T Height (door seal to ramp)	1350				
K Step height	208	U Height inside vehicle	1400				

Note: The measurements shown here are nominal and some variation will occur between vehicles. Vehicle, step and sill heights shown are with the vehicle at kerb weight.



Important Notice: LTI Vehicles are constantly seeking ways to improve the specification, design and production of its vehicles, and alterations take place continually. Whilst every effort is made to produce up to date literature, this bronchure should not be regarded as an infallible guide to current specifications, nor does it constitute an offer for the sale of any particular vehicles. Dealers are not agents of LTI Vehicles and have absolutely no authority to bind the company by any implied undertaking or representation. Gold, Silver and Bronze models have been photographed and some features apply to the Gold and Silver models only. A specification and options list is available from dealers.TM - TX4, the taxi sign and the LTI Vehicles logo are all trademarks of LTI Limited. The TX4 shape is a registered design. © LTI Limited. 09/06.

Colour and Trim

TX4 Paint Finishes

Featured with colour coding and chrome grille surround



Interior Trim

Peacock Green - Metallic

Your standard TX4 is fitted with patterned cloth with leather available at extra cost.

Thistle Blue - Metallic



Platinum Silver - Metallic



Storm Grey - Metallic

Patterned Cloth

Leather



Atlantic Blue - Metallic

Nightfire Red - Metallic

23



Warranties that merit attention





The London Taxi Service

Your clients can now experience the same premium service they receive in London. Our package is bespoke to you and includes a completely managed yet cost effective service providing distinctive vehicles and professional driver training. We also offer personal touches and refinements that no other service will – so you continue to stay ahead of the game and the competition.

We are investing in the new technologies that will continue to see taxis in our cities



We've built quality purpose-built taxis for over 60 years

FX3 1948-1959



Hailing in the changes

Established in 1919, we're the world's premier manufacturer of purpose-built taxis and the largest UK owned vehicle manufacturer. We built the first FX3 in 1948 and the world's first wheelchair accessible taxi (Fairway) in 1989. The first new generation TX was made in 1997 and we've been enhancing it ever since.


This unrivalled pedigree and wealth of advancements makes our latest British icon something you can be as proud to drive as we are to build. And rest assured we are investing in the technologies that will continue to see our taxis serve the cities of the world for many years to come.



The London Taxi Company Holyhead Road Coventry CV5 8JJ England Tel: +44 (0) 24 7657 2000

Fax: +44 (0) 24 7657 2001





www.londontaxis.co.uk